


## [Jun 26, 2023 Pass SAP Certified Application Associate C-BW4HANA-27 Exam With 82 Questions [Q34-Q48]



[Jun 26, 2023] Pass SAP Certified Application Associate C-BW4HANA-27 Exam With 82 Questions  
Ultimate Guide to Prepare Free SAP C-BW4HANA-27 Exam Questions and Answer

### QUESTION 34

For which scenario do you recommend an InfoSource?

Please choose the correct answer.

- \* Allow the creation of delta records.
- \* Store intermediate results.
- \* Use it as a source for the data transfer process.
- \* Connect multiple sources and targets.

### QUESTION 35

Which modeling function is possible in modeling with an SAP HANA Calculation View that is not possible in modeling with a CompositeProvider?

- \* Generate a rank column
- \* Combine datasets by union
- \* Use aggregation for datasets
- \* Create a calculated column

### QUESTION 36

Which SAP BW/4HANA Objects are possible Sources for data load processes? (3)

- \* Datastore Objects (advanced)
- \* Characteristics
- \* Composite providers
- \* Info Sources
- \* Open ODS Views

### QUESTION 37

Which tasks are part of the Business Blueprint and Data Model Definition phase in an SAP BW/4HANA project? Note: There are 3 correct Answers to this question.

- \* Implement transport routes and layers
- \* Specify necessary data conversion
- \* Design the data layer concept
- \* Monitor batch jobs and data volume
- \* Check the availability of data

### QUESTION 38

You set up the 2LIS\_02\_ITM (Purchasing Line Item) data source in SAP ERP using the logistics cockpit. Afterward, you successfully run the initialization into SAP BW/4HANA.

Your delta load into SAP BW/4HANA shows zero records even though new purchase orders were created. How do you explain that the delta records do NOT appear in SAP BW/4HANA?

- \* A reinitialization for sales orders in SAP ERP was triggered using the logistics cockpit, which deleted the purchase order item initialization.
- \* All old purchase orders in SAP ERP were archived overnight before the delta loads.
- \* Purchasing extractors in SAP ERP were set up with Queued Delta update mode and the collective run job was NOT scheduled.
- \* Another SAP BW/4HANA system already picked up the new purchase orders using a delta load

### QUESTION 39

Which user group is the Digital Boardroom designed for? (1)

- \* IT users
- \* Business executives
- \* Business users
- \* BI architects

### QUESTION 40

Which condition must you ensure if you want to replicate data based on a view with SAP Landscape Transformation Replication Server?

- \* View-based data result sets must be kept persistent first until data replication can take place.

- \* An SAP HANA source system must be defined to consume the view.
- \* Each table of the view requires a defined trigger to enable data replication.
- \* One table as part of the view has to be defined as primary table and is used to trigger data replication.

#### QUESTION 41

Where can you automatically generate a process chain?

- \* Form a data flow object
- \* Within the process chain editor app
- \* from a streaming enabled DataSource
- \* Within the process chain maintenance

#### QUESTION 42

In a BW query with cells, you need to overwrite the initial definition of a cell. With which cell types can this be achieved?? Note: There are 2 correct answers to this question.

- \* Selection cell
- \* Reference cell
- \* Formula cell
- \* Help cell

#### QUESTION 43

Which interface do you use to create a BW InfoObject with access type '&#8220;SAP HANA view&#8221;?

- \* SAP HANA modeler perspective in SAP HANA studio
- \* Embedded SAP GUI in SAP HANA studio
- \* SAP Web IDE for SAP HANA
- \* BW modeling perspective in SAP HANA studio

#### QUESTION 44

You would like to highlight the deviations between budget and actual revenue in query. Which BW feature do you use? (1)

- \* Conditions
- \* Calculated key figures
- \* Formula variable
- \* Exceptions

#### QUESTION 45

What is the request handling default setting for error handling in a data transfer process (DTP) in SAP BW/4HANA?

- \* Request is set to failed, error stack is written, and valid records are updated
- \* Request is canceled, records are not tracked, and target is not updated
- \* Request is set to success, error stack is written, and valid records are updated
- \* Request is canceled, first incorrect record is tracked, and target is not updated.

#### QUESTION 46

You want to run a BW query, but you only have partial authorization for the data selection. What happens related to the BW query in this scenario?

- \* The BW query starts and shows an error message

- \* The BW query does not start running
- \* The BW query starts and the unauthorized values are
- \* The BW query starts and only the authorized data is displayed

#### **QUESTION 47**

You want to combine an existing SAP BW/4HANA Data Model with virtual data from a new non-SAP source system for test purposes. Which approach should you consider for rapid prototyping?

- \* Field-based modeling
- \* Generate Data Flow
- \* Business content activation
- \* InfoObject based modeling

#### **QUESTION 48**

Which reporting object do you use to combine data from different SAP BW InfoProviders?

- \* BW query
- \* Analysis workbook
- \* DataProvider
- \* Analysis view

**Pass C-BW4HANA-27 Tests Engine pdf - All Free Dumps:**

<https://www.testkingfree.com/SAP/C-BW4HANA-27-practice-exam-dumps.html>